

# **A Two-stage Image Segmentation Method using a Convex Variant of the Mumford-Shah Model and Thresholding**

Raymond Chan

The Mumford-Shah model is one of the most important image segmentation models, and has been studied extensively in the last twenty years. In this talk, we propose a two-stage segmentation method based on the Mumford-Shah model. The first stage of our method is to find a smooth solution  $g$  to a convex variant of the Mumford-Shah model. Once  $g$  is obtained, then in the second stage, the segmentation is done by thresholding  $g$  into different phases. The thresholds can be given by the users or can be obtained automatically using any clustering methods. Because of the convexity of the model,  $g$  can be solved efficiently by techniques like the split-Bregman algorithm or the Chambolle-Pock method. We prove that our method is convergent and the solution  $g$  is always unique. In our method, there is no need to specify the number of segments  $K$  ( $K \geq 2$ ) before finding  $g$ . We can obtain any  $K$ -phase segmentations by choosing  $(K-1)$  thresholds after  $g$  is found in the first stage; and in the second stage there is no need to recompute  $g$  if the thresholds are changed to reveal different segmentation features in the image. Experimental results show that our two-stage method performs better than many standard two-phase or multi-phase segmentation methods for very general images, including anti-mass, tubular, MRI, noisy, and blurry images.